

## IN THE CLAIMS

Please cancel claims 19 – 26 without prejudice or disclaimer.

Please amend claims 1 – 18 and add new claims 27 – 29 as follows:

1. (Amended) A copy management system, comprising:

a storage media, which is stored with predetermined content, and which is attached with unique media identification information;

a user terminal device, which comprises copy means for copying the content stored in the storage media to a first storage device, and which transmits device identification information attached to the user terminal device together with the unique media identification information of the storage media;

a server device, which transmits copy enabling information for enabling copy of content corresponding to the unique media identification information against the user terminal device corresponding to the device identification information when receiving the unique media identification information and device identification information.

2. (Amended) The copy management system according to claim 1, wherein

the server device transmits the copy enabling information only once against one media identification information.

3. (Amended) The copy management system according to claim 2, wherein

the user terminal device transmits, as the device identification information, at least one of terminal device identification information attached a user terminal device body, first

device identification information attached uniquely to the first storage device, and second device identification information uniquely attached to a second storage device that includes the user terminal device.

4. (Amended) The copy management system according to claim 1, wherein

AI  
Cm.t  
the server device transmits the copy enabling information encrypted by the device identification information, and

the user terminal device decrypts the encrypted copy enabling information with the device identification information.

5. (Amended) The copy management system according to claim 1, wherein

the user terminal device deletes the copy enabling information after copying the content.

6. (Amended) The copy management system according to claim 1, wherein

the server device transmits an encryption key for encrypting the content to be copied;

the user terminal device encrypts the content using the encryption key and copies the encrypted content to the first storage device, stores the encryption key in a predetermined storage means, and decrypts the content copied to the first storage device with the encryption key.

7. (Amended) The copy management system according to claim 1, wherein

the server device stores as media identification information that transmission of the copy enabling information is complete in a database, in a state of being associated with device identification information attached to each user's user terminal device, and overwrites old device identification information registered in the database with modified device identification information when the device identification information of the user terminal device is modified due to repair or exchange.

8. (Amended) The copy management system according to claim 1, wherein

the server device performs predetermined charge processing against a user who owns the user terminal device to which transmission of the copy enabling information is performed.

9. (Amended) The copy management system according to claim 1, further comprising:

intermediating server device, which intermediates in the transmission/reception of information between the user terminal device and the server device, and which performs charge processing for the user at least when copy enabling information is transmitted to the user terminal device.

10. (Amended) A computer readable storage media, which has been stored with a user terminal device information processing program and media identification information,

the information processing program, comprising:

a step of reading out media identification information;

a step of reading out device identification information attached to a first storage device that includes the user terminal device used when a user performs copying of content stored in the storage media;

a step of transmitting to a server device at least the read out media identification information and device identification information;

a step of receiving copy enabling information for enabling copying of the content returned from the server device; and

a step of copying content stored in the storage media to the first storage device that includes the user terminal device using the received copy enabling information.

**11. (Amended)** The computer readable storage media according to claim 10, wherein

the copy enabling information is encrypted by the transmitted device identification information, and

the information processing program further comprises a step of decrypting the received copy enabling information using the device identification information.

**12. (Amended)** The computer readable storage media according to claim 10, further comprising:

a step of deleting the copy enabling information after copying the content.

**13. (Amended)** The computer readable storage media according to claim 10, further comprising:

a step of receiving an encryption key for encrypting the content to be copied, which

is transmitted from the server device;

a step of encrypting with the encryption key the content and copying the encrypted content;

a step of storing the encryption key in a storage means; and

a step of decrypting the copied content with the [re-encryption] encryption key stored in the storage means.

**14. (Amended)** The computer readable storage media according to claim 10, wherein

the device identification information is at least one of terminal device identification information attached to the user terminal device, the identification information attached uniquely to the first storage device, and a second device identification number attached uniquely to a second storage device that includes the user terminal device.

**15. (Amended)** A computer readable storage media, which has been stored with a server device information processing program,

the information processing program comprising:

a step of receiving device identification information which is attached to a device that includes a user terminal device, and media identification information uniquely attached to a storage media stored with predetermined content, the media identification information and the device identification information being sent from the user terminal device;

a step of detecting whether the received media identification information is registered in a database registered with media identification information of storage media

having the content thereof copied in a state of being associated with device identification information; and

A1  
Cmld

a step of transmitting copy enabling information for enabling copying of the content to a user terminal device when non-registration of the media identification information is detected.

---

**27. (New)** A user terminal device information processing program to be executed by a computer, comprising:

a step of reading out media identification information from a storage media, the storage media storing predetermined content and having unique media identification information attached;

a step of reading out device identification information attached to a device that includes a user terminal device used when a user performs copying of the content;

a step of transmitting to a server device at least the read-out media identification information and read-out device identification information;

a step of receiving copy enabling information for enabling copying of the content returned from the server device; and

a step of copying content stored in the storage media to a first storage device that includes the user terminal device using the received copy enabling information.

**28. (New)** A server device information processing program to be executed by a computer, comprising:

A2  
Cm.t

a step of receiving device identification information which is attached to a device that includes a user terminal device, and media identification information uniquely attached to a storage media storing predetermined content, the media identification information and device identification information being sent from the user terminal device;

a step of detecting whether the received media identification information is registered in a database registered with media identification information of storage media having the content thereof copied in a state of being associated with corresponding device identification information; and

A2  
cm.t  
a step of transmitting copy enabling information for enabling copying of the content to a user terminal device corresponding to the received device identification information when non-registration of the media identification information is detected.

**29. (New)** A copy management method comprising the steps of:

transmitting to a server device, device identification information attached to a device that comprises a user terminal device together with media identification information when copying content stored in a storage media having uniquely attached the media identification information;

detecting by the server device whether the media identification information that is transmitted from the user terminal device is registered in a database registered with media identification information of storage media having the content thereof copied in a state of being associated with corresponding device identification information; and

transmitting copy enabling information for enabling copying of the content from the server device to the user terminal device corresponding to the transmitted device